

E-Angela



- Please take out all the parts and accessories and check if everything is well.
- Please check the packing box, make sure no fittings are left in the box which is completely empty.
- If any parts missing, please contact your dealer.

【Settings】

Ailerons: +/- 10mm
Elevator: AL+FLP +/-8mm
Butterfly: AL 8mm UP, FLP 25mm DOWN
Neutral: AL+FLP 2mm UP
CG: 65-68mm
Motor install: DOWN THRUST 2°

【Setups】

Normal power:
MOTOR: 2836KV1200
BATTERY: 3S-1500mAh
ESC: 40A
PROP: 9X6
SPINNER: 38mm

High Power:
DIY CUT UP 25mm, DOWN 27mm
MOTOR: 3536KV1000
BATTERY: 3S-2200mAh
ESC: 70A
PROP: 11X8~12X8
SPINNER: 45mm

【Kit parts】



【Wings】



Please drill a hole for the horn and make sure it is not too large.



Glue the horn, make sure the horn will not touch to the wing skin, connect the horn with clevis.





Fix the servo tray.



Install the servos and cable extension.




【Fuselage】

Install the motor. Adjust the position and angle of the firewall, fix it with glue.

If you use 35mm motor, please cut the nose more and use big firewall.



Install the rudder horn, and connect the clevis, and fix the servo. You can use our own way to install and fix the servo, here we just use a wood plate and glue it.



【Assembly】

